

MUSKEGON COUNTY BID SUMMARY

Commodity Numbers: 15010, 89000, 89077, 89087, 89095, 90900, 90921, 90922, 90930, 90977, 91063, 91227, 91345, 91359, 91381, 91391, 91430, 91438, 91457, 91484, 91488, 93662, 93691

Department: Resource Recovery Center

Bid: IFB 21-2402

Release Date: 05/18/2021

Product / Service: South Irrigation Pump Station Replacement

Opening Date: 06/11/2021

**Bid Net Solicitation Statistics**	
Received Notice:	979
Viewed Documents:	46
Solicitation Received:	4
No-Solicit Form Received:	0

Vendor Name & Address	Bid Received	Bid Responsive		Total Bid		Comments
EV Conostruction 86 E. 6th Street Holland MI 49423	Yes	Yes		\$4,963,014.00		
Grand River Construction Inc 5025 40th Ave. Hudsonville MI 49426	Yes	Yes		\$4,896,000.00		
Kamminga & Roodvoets Inc. 3435 Broadmoor Ave SE Grand Rapids MI 49512	Yes	Yes		\$4,334,400.00		
Skye Contracting 3631 44th St SE #D Grand Rapids MI 49572	Yes	Yes		\$5,249,000.00		

Department Recommendation: Kamminga & Roodvoets Inc.

Name of Buyer: Jamie Burmeister

Director of Finance/Assistant County Administrator's Name: Beth Dick

Signature: Beth Dick

Vendor Awarded: Kamminga & Roodvoets, Inc.,

Board Approval Date: July 1, 2021

Board Motion Number: BPW 21-07-71

MUSKEGON COUNTY BID SUMMARY

Commodity Numbers: 15010, 89000, 89077, 89087, 89095, 90900, 90921, 90922, 90930, 90977, 91063, 91227, 91345, 91359, 91381, 91391, 91430, 91438, 91457, 91484, 91488, 93662, 93691

Bid: IFB 21-2402

Department: Resource Recovery Center

Release Date: 05/18/2021

Product / Service: South Irrigation Pump Station Replacement

Opening Date: 06/11/2021

**Bid Net Solicitation Statistics**	
Received Notice:	979
Viewed Documents:	46
Solicitation Received:	4
No-Solicit Form Received:	0

Vendor Name & Address	Motor Control Center		Isolation Valves DeZurik	Control Valves Kennedy	Vertical Turbine Pumps Goulds	Flexible Rake Bar Duperon	
	Eaton Freedom Series	Alternate					
EV Conostruction 86 E. 6th Street Holland MI 49423	\$77,583.00	No Bid	\$69,777.00	\$90,355.00	\$820,379.00	\$554,630.00	
Grand River Construction Inc 5025 40th Ave. Hudsonville MI 49426	\$233,200.00	No Bid	\$30,600.00	\$52,550.00	\$695,000.00	\$470,000.00	
Kamminga & Roodvoets Inc. 3435 Broadmoor Ave SE Grand Rapids MI 49512	\$233,200.00	\$33,600.00 <b>AB MCC</b>	\$32,436.00	\$55,703.00	\$736,912.00	\$498,200.00	
Skye Contracting 3631 44th St SE #D Grand Rapids MI 49572	\$233,200.00	\$12,245.00 <b>Allen Bradley</b>	\$30,600.00	\$52,550.00	\$695,200.00	\$470,000.00	

MUSKEGON COUNTY BID SUMMARY

Commodity Numbers: 15010, 89000, 89077, 89087, 89095, 90900, 90921, 90922, 90930, 90977, 91063, 91227, 91345, 91359, 91381, 91391, 91430, 91438, 91457, 91484, 91488, 93662, 93691

Bid: IFB 21-2402

Department: Resource Recovery Center

Release Date: 05/18/2021

Product / Service: South Irrigation Pump Station Replacement

Opening Date: 06/11/2021

**Bid Net Solicitation Statistics**	
Received Notice:	979
Viewed Documents:	46
Solicitation Received:	4
No-Solicit Form Received:	0

Vendor Name & Address	Temporary Bypass Piping	Add/Deduct per lineal foot	Internal Joint Sealing			Comments
EV Conostruction 86 E. 6th Street Holland MI 49423	\$79,623.00	\$110.10	\$48,618.00			
Grand River Construction Inc 5025 40th Ave. Hudsonville MI 49426	\$52,990.00	\$71.00	\$52,700.00			
Kamminga & Roodvoets Inc. 3435 Broadmoor Ave SE Grand Rapids MI 49512	\$31,900.00	\$55.00	\$56,540.00			
Skye Contracting 3631 44th St SE #D Grand Rapids MI 49572	\$31,500.00	\$110.00	\$61,000.00			

**BPW21/07-71** Moved by Commissioner Hughes, seconded by Commissioner Lahrng, to accept the low bid from Kamminga & Roodvoets, Inc., for IFB 21-2402, South Irrigation Pump Station Replacement, for a total of \$4,334,400.00.

Roll call:

Yes – Moore, Scolnik, Wilkins, Brown, Cyr, Hughes, Lahrng, Pego

No –

Excused - Nash

**Motion carried**

**BPW21/07-72** Moved by Commissioner Hughes, seconded by Commissioner Lahrng, to authorize a salary range adjustment for the vacant position of Resource Recovery Center Operations Maintenance Supervisor (Class Code XF822), from Pay Grade NX-00362, \$32.855/hr. - \$41.404/hr., to Pay Grade NX-00370, \$34.049 - \$43.290, to go into effect immediately.

Roll call:

Yes – Lahrng, Moore, Scolnik, Wilkins, Brown, Cyr, Hughes, Pego

No –

Excused - Nash

**Motion carried**

#### **Informational Items:**

Recommended to place the informational items on file:

1. Public Works Monthly Operations Report, June 2021.
2. Resource Recovery Center Monthly Operating Report, June 2021.
3. Muskegon County Regional Water Policy Board Minutes, June 2021 (draft)

Water Resources Moore asked Matthew Farrar about seeing Soil Erosion Permits issued. Matthew Farrar stated he would speak to Robert Ribbens and report back to her.

#### **UNFINISHED BUSINESS**

Dave Johnson provided an update on the Southeast Regional Force Main. Dave Johnson stated Brightmark's engineer firm, Venture Engineering, is testing to determine the amount of solids and the settleability of the solids. Dave Johnson stated Venture Engineering is working with and providing information to Prein&Newhof.

Dave Johnson stated the farmer who bid on alfalfa has paid his account balance and is harvesting.

Commissioner Scolnik asked Dave Johnson if any local contractors bid on the recent contracts. Dave Johnson stated Jackson Merkey did bid as a subcontractor with Grand River Construction on the South Irrigation Pump Station Replacement project. Dave Johnson stated Jackson Merkey did not bid on the J Station project because they questioned the use of HDPE pipe.

Commissioner Brown thanked Matthew Farrar for helping with the fountain pump at Veteran's Park and requested an update. Mathew Farrar credited Leo Evans. Leo Evans stated they fixed the pump yesterday and also found a bunch of holes in the plumbing that needed repaired. Leo Evans stated the fountain should be running tomorrow.

Mathew Farrar stated an informational meeting regarding Gypsy Moths will be held at Dalton Township Hall on July 14<sup>th</sup> at 2p.m. Matthew Farrar stated this will be a Q&A session for local municipality officials. Matthew Farrar stated no treatments will occur this year.