

SECTION 00920

ADDENDUM

Muskegon County Drain Commissioner
141 East Apple Avenue
Muskegon, MI 49442

ADDENDUM NO. ____1____

DATE: ____July 17, 2020____

ENGINEER: Eng., Inc.
16930 Robbins Road Suite 105
Grand Haven, MI 49417

Drawing Revision No: _N/A_

Drawing Sheets Issued Herewith: __N/A__

Bids Due: __3:30 p.m. Monday, July 20, 2020__ Issued to all Plan Holders

This Addendum is part of the Contract Documents and modifies the previously issued Bidding Documents. Acknowledge receipt of this Addendum in the space provided on the Bid Form. Failure to do so may result in rejection of the Bid.

ITEM NO. 1 – BID ITEM QUANTITIES

SECTION 00314: Bid.

Quantities for Items No. 21 and 22 have been updated. See Addendum No. 1 Bid included in this addendum; Bidder must use this Addendum No. 1 Bid section to submit Bid.

ITEM NO. 2 – MEASUREMENT AND PAYMENT ITEM CLARIFICATIONS

SECTION 01028: Measurement and Payment.

Bid Items 15 and 31 contain additional description language.

END OF ADDENDUM NO. 1

SECTION 00314

ADDENDUM NO. 1 BID

Bid of _____ hereinafter called Bidder, organized and existing under the laws of or a resident of the State of _____, doing business as _____.*
*Insert as applicable: “a corporation”, “a partnership” or “an individual”.

To Muskegon County Drain Commissioner, hereinafter called OWNER.

1. The undersigned Bidder proposes and agrees, if this Bid is accepted, to enter into an Agreement with OWNER in the form included in the Contract Documents to perform and furnish all Work for the Black Creek Consolidated Drain – Division No. 12 as specified or indicated in the Contract Documents for the Contract Price and within the Contract Times indicated in the Bid and in accordance with the other terms and conditions of the Contract Documents.
2. Bidder accepts all of the terms and conditions of the Notice of Letting of Drain Contract and Instructions to Bidders including, without limitation, those dealing with the disposition of Bid security. This Bid will remain subject to acceptance for 120 days after the day of bid opening. Bidder will sign and submit the Agreement and the Bonds and other documents required by the Bidding Documents within 15 days after the date of OWNER’s Notice of Award.
3. In submitting this Bid, Bidder represents, as more fully set forth in the Agreement, that:

- A. Bidder has examined and carefully studied the Bidding Documents and the following Addenda receipt of all which is hereby acknowledged:

<u>Date</u>	<u>Addendum Number</u>
<u>July 17, 2020</u>	<u>1</u>
_____	_____

- B. Bidder has visited the Site and become familiar with and is satisfied as to the general, local and site conditions that may affect cost, progress, performance and furnishing of the Work.
- C. Bidder is familiar with and is satisfied as to all federal, state and local laws and regulations that may affect cost, progress, performance and furnishing of the Work.
- D. Bidder has carefully studied all reports of explorations and test of subsurface conditions at or contiguous to the Site and all drawings of physical conditions in or relating to existing surface or subsurface structures at or contiguous to the Site (except Underground Facilities) if identified in Section 00800: Supplementary Conditions as provided in paragraph 4.02 of Section 00700: General Conditions. Bidder accepts the determination set forth in paragraph SC-4.02 of Section 00800: Supplementary Conditions of the extent of the “technical data” contained in such reports and drawings upon which Bidder is entitled to rely as provided in paragraph 4.02.1 of Section 00700: General Conditions. Bidder acknowledges that such reports and drawings are not Contract Documents and may not be complete for Bidder’s purposes. Bidder acknowledges that OWNER and ENGINEER do not assume responsibility for the accuracy or completeness of information and data shown or indicated in Bidding Documents with respect to Underground Facilities at or contiguous to the Site.
- E. Bidder has obtained and carefully studied (or assumes responsibility for having done so) all such additional or supplementary examinations, investigations, explorations, tests, studies and data concerning conditions (surface, subsurface and Underground Facilities) at or contiguous to the Site or otherwise which may affect cost, progress, performance or furnishing of the Work or which relates to any aspect of the means, methods, techniques, sequences and procedures of construction to be employed by Bidder and safety precautions and programs incident thereto. Bidder does not consider that any additional examinations, investigations, explorations, tests, studies or data are necessary for the determination of the Bid for performance and furnishing of the Work in accordance with the times, price and other terms and conditions of the Contract Documents.
- F. Bidder is aware of the general nature of Work to be performed by OWNER and others at the Site that relates to Work for which this Bid is submitted as indicated on the Contract Documents.
- G. Bidder has correlated the information known to Bidder, information and observations obtained from visits to the Site, reports and drawings if any are identified in the Contract Documents and all additional or supplementary examinations, investigations, explorations, tests, studies and data with the Contract Documents.

- H. Bidder has given ENGINEER written notice of all conflicts, errors, ambiguities or discrepancies that Bidder has discovered in the Contract Documents and the written resolution thereof by ENGINEER is acceptable to Bidder, and the Contract Documents are generally sufficient to indicate and convey understanding of all terms and conditions for performing and furnishing the Work for which this Bid is submitted.
- I. This Bid is genuine and not made in the interest of or on behalf of any undisclosed person, firm or corporation and is not submitted in conformity with any agreement or rules of any group, association, organization or corporation; Bidder has not directly or indirectly induced or solicited any other Bidder to submit a false or sham bid; Bidder has not solicited or induced any person, firm or corporation to refrain from bidding; and Bidder has not sought by collusion to obtain for itself any advantage over any other bidder or over OWNER.

4. Bidder will complete the Work for the following unit prices:

Unit Price Schedule – Base Bid

Item No.	Item Description	Unit	Estimated Quantity	Unit Price	Amount
1	Open Drain Construction	LF	1,358.0	\$	\$
2	12-inch C76 IV RCP Storm Sewer	LF	32.0	\$	\$
3	15-inch C76 IV RCP Storm Sewer	LF	152.0	\$	\$
4	18-inch C76 IV RCP Storm Sewer	LF	80.0	\$	\$
5	12-inch Dual Wall Perf HDPE Storm Sewer	LF	200.0	\$	\$
6	18-inch Dual Wall Perf HDPE Storm Sewer	LF	1,207.0	\$	\$
7	24-inch Dual Wall Solid HDPE Storm Sewer	LF	1,306.0	\$	\$
8	4-Foot Diameter Storm Manhole	EA	3.0	\$	\$
9	2-Foot Diameter Storm Catch Basin (w/ 2 Foot Sump)	EA	4.0	\$	\$
10	4-Foot Diameter Storm Catch Basin (w/ 2 Foot Sump)	EA	6.0	\$	\$
11	12-inch Diameter RCP End Section	EA	4.0	\$	\$
12	15-inch Diameter RCP End Section	EA	12.0	\$	\$
13	18-inch Diameter RCP End Section	EA	7.0	\$	\$
14	Plain Riprap over Geotextile Fabric	SYD	79.0	\$	\$
15	Stream Restoration Two Stage Channel Construction	LF	1,020.0	\$	\$
16	Stream Restoration Detail 108 Riffle Zone	EA	3.0	\$	\$
17	HMA Roadway Restoration	SYD	465.0	\$	\$
18	HMA Driveway Restoration	SYD	97.0	\$	\$
19	Gravel Driveway Restoration	SYD	553.0	\$	\$
20	Concrete Driveway Restoration	SYD	75.0	\$	\$
21	Mulch Blanket	SYD	3,700	\$	\$
22	Surface Restoration, Topsoil, Open Channel Seeding, and Mulch	SYD	17,965	\$	\$

23	Lawn Restoration, Topsoil, Seed, and Mulch	SYD	8,000.0	\$	\$
24	Mobilization, Max (10%)	LS	1.0	\$	\$
25	Soil Erosion & Sedimentation Control Measures	LS	1.0	\$	\$
26	Traffic Control	LS	1.0	\$	\$
27	Clearing	LS	1.0	\$	\$

Base Bid Total Amount (numbers) \$ _____

Base Bid Total Amount (words) _____ dollars.

Unit Price Schedule – Alternate No. 1

Item No.	Item Description	Unit	Estimated Quantity	Unit Price	Amount
1	Open Drain Construction	LF	75.0	\$	\$
5	12-inch Dual Wall Solid HDPE Storm Sewer	LF	1,550.0	\$	\$
8	4-Foot Diameter Storm Manhole	EA	1.0	\$	\$
9	2-Foot Diameter Storm Catch Basin (w/ 2 Foot Sump)	EA	1.0	\$	\$
10	4-Foot Diameter Storm Catch Basin (w/ 2 Foot Sump)	EA	3.0	\$	\$
11	12-inch Diameter RCP End Section	EA	1.0	\$	\$
17	HMA Roadway Restoration	SYD	225.0	\$	\$
18	HMA Driveway Restoration	SYD	115.0	\$	\$
19	Gravel Driveway Restoration	SYD	80.0	\$	\$
23	Lawn Restoration, Topsoil, Seed, and Mulch	SYD	3,300.0	\$	\$
27	Clearing	LS	1.0	\$	\$
28	Curb & Gutter, Remove	LF	50.0	\$	\$
29	Concrete Curb & Gutter	LF	50.0	\$	\$
30	6-inch PVC SDR 26 Storm Sewer Service	LF	150.0	\$	\$
31	Traffic Control, Additional	LS	1.0	\$	\$

Alternate No. 1 Bid Total Amount (numbers) \$ _____

Alternate No. 1 Bid Total Amount (words) _____ dollars.

5. Bidder agrees that the Work will be substantially complete on or before September 15, 2021 and completed and ready for final payment in accordance with paragraph 14.07 of Section 00700: General Conditions on or before October 15, 2021. Once work has been initiated at the site, work shall be substantially complete within 120 calendar days and completed and ready for final payment within 150 calendar days.

Bidder accepts the provisions of the Agreement as to liquidated damages in the event of failure to complete the Work on time.

6. The following documents are attached to and made a condition of this bid:
- A. Required bid security.
7. Communications to Bidder concerning this Bid shall be addressed to the address indicated below.
8. The terms used in this Bid which are defined in the General Conditions of the construction Contract, included as part of the Contract Documents, have the meanings assigned to them in Section 00700: General Conditions.

SUBMITTED on _____, 20 __
Date*

BY: _____
Name of Bidder*

Street*

Signature

City, State, and Zip*

Name and Title of Signatory*

Telephone Number*

*Typed or printed in ink.

END OF SECTION

SECTION 01028

MEASUREMENT AND PAYMENT - UNIT PRICE WORK

PART 1 - GENERAL

1.01 SUMMARY:

- A. Section includes:
 - 1. This Section includes, but is not necessarily limited to, descriptions of the method of measurement and the basis of payment for Unit Price Work under this Contract as indicated on the Drawings, as specified herein, and as necessary for the proper and complete performance of the Work.
- B. Related Sections:
 - 1. Documents affecting work of this Section include, but are not necessarily limited to:
 - a. General Conditions, Supplementary Conditions and Sections in Division I of these Specifications.
- C. Basis of Contract payments:
 - 1. Final Contract Price shall be determined by actual quantities installed at unit prices stated in CONTRACTOR's Bid.
 - 2. ENGINEER shall determine actual as-built quantities.
 - 3. All work not included as a Bid item shall be considered incidental to construction.
 - 4. Unit price payments for individual items shall include everything necessary for such item to function as intended in the system.
 - 5. OWNER reserves the right to increase, decrease or eliminate any quantities for items listed in CONTRACTOR's Bid or which become a part of the Contract Documents.
- D. Items included as incidental to unit prices for systems and appurtenances:
 - 1. The unit price payment for all underground systems and appurtenance items shall include, but not be limited to:
 - a. Clearing, excavating, trenching, bedding, trench backfill, disposal of items for clearing and unsuitable or excess excavated materials.
 - b. Drainage and dewatering of excavation.
 - c. Temporary sheeting, bracing and shoring of excavations.
 - d. Support, relocation, replacement, connection or reconnection of existing pipelines and utilities.
 - e. Cleaning flushing, chlorinating and testing.
 - f. Cleanup and surface restoration.
 - g. Appurtenances except such items which are included as Bid items.
 - h. Jacking pits, casing pipes, tunnel liners or similar protective methods.

1.02 STORM SEWER SYSTEM INSTALLED BY OPEN CUT:

- A. Item No. 1 – Open Drain Construction.
 - 1. Includes: All excavation, spoil removal and disposal, debris and brush removal, clearing, all tree removals to perform work and provide access, regardless of diameter and necessary for construction and shaping of existing and or new open ditch. Also includes soil preparation, topsoil, seeding, mulch and mulch blanket, one row of coconut logs each side of drain and in accordance with the cross section and detail on the Drawings and Section 02270: Slope Protection and Stream Restoration and Section 02210: Site Grading.
 - 2. Unit of measure: Linear foot, measured along the centerline of the Drain. Each side of the road to be paid separately.
- B. Items No. 2 through 4 – 12-inch, 15-inch, and 18-inch RCP Storm Sewer.
 - 1. Includes: All excavation, spoil removal and disposal, dewatering, clearing, incidental tree removal, removal of any existing size and type storm sewer within same trench, grading as indicated on the Drawings, specific trenching details or requirements, exposing any existing utilities and all utility investigation, backfilling and storm sewer in accordance with Section 02720: Storm Sewer System.
 - 2. Unit of measure: Linear foot of storm sewer as measured from centerline of manhole to centerline of manhole or end of pipe.

- C. Items No. 5 through 7 – 12-inch, 18-inch, and 24-inch Dual Wall Perf / Solid wall HDPE Storm Sewer.
 - 1. Includes: All excavation, spoil removal and disposal, dewatering, clearing, incidental tree removal, removal of any existing size and type storm sewer within same trench, grading as indicated on the Drawings, specific trenching details or requirements, exposing any existing utilities and all utility investigation, backfilling and storm sewer in accordance with Section 02720: Storm Sewer System.
 - 2. Unit of measure: Linear foot of storm sewer as measured from centerline of manhole to centerline of manhole or end of pipe.
- 1.03 STORM SEWER SYSTEM APPURTENANCES:
- A. Item No. 8 – 4-foot dia. Storm Manhole.
 - 1. Includes: All excavation, spoil removal and disposal, clearing, dewatering, restoration, backfilling, adjustments, grading as indicated on the plans, adjustment rings, geotextile fabric for wrapping joints and adjustment rings, installation, structure, and casting as specified on the Drawings in accordance with Section 02720: Storm Sewer System.
 - 2. Unit of measure: Each
 - B. Items No.9 and 10 – 2-foot and 4-foot Diameter Storm Catch Basin (w/ 2-foot Sump).
 - 1. Includes: All excavation, spoil removal and disposal, clearing, dewatering, restoration, backfilling, adjustments, grading as indicated on the plans, adjustment rings, geotextile fabric for wrapping joints and adjustment rings, installation, structure, and casting as specified on the Drawings in accordance with Section 02720: Storm Sewer System.
 - 2. Unit of measure: Each
 - C. Items No. 11 through 13 – 12-inch, 15-inch, and 18-inch Diameter RCP End Section.
 - 1. Includes: All excavation, spoil removal and disposal, clearing, backfill, dewatering, removal of any existing storm sewer or structure, grading as indicated on the plans, specific trenching detail or requirements, backfilling, concrete collar and flared end section in accordance with Section 02720: Storm Sewer System and per the appropriate detail shown on the Drawings. Also includes toe walls, fill and grading around flared end section after installation.
 - 2. Unit of measure: Each.
 - A. Items No. 14 – Plain Riprap over Geotextile Fabric.
 - 1. Includes: Installation of specific material type and size as indicated on the plans as well as nonwoven geotextile fabric underneath all areas of applied riprap in accordance with Section 02271: Riprap and per the Drawings. Includes all specific excavation, grading and shaping required for the area and per the appropriate detail or location as indicated on the Drawings.
 - 2. Unit of measure: Square yard.
- 1.04 STREAM RESTORATION ITEMS:
- A. Item No. 15 – Stream Restoration Two Stage Channel Construction.
 - 1. Includes all excavation, spoil removal and disposal, clearing and cutting of trees (all diameters) and vegetation within the Drain channel, geotextile filter fabric, erosion control blanket, topsoil, seeding, **one row of coconut (coir) logs on each side of the main channel**, and grading in accordance with the detail on the Drawings and Section 02270: Slope Protection and Stream Restoration.
 - 2. Unit of measure: Linear foot, measured along the centerline of the Drain.
 - B. Item No. 16 – Stream Restoration Detail 108 Riffle Zone.
 - 1. Includes all excavation, spoil removal and disposal, clearing and cutting of trees (all diameters) and vegetation within the Drain channel and banks, geotextile filter fabric, riprap, cobbles and gravel, topsoil, seeding, coconut logs, mulch blanket, and grading in accordance with the detail on the Drawings and Section 02270: Slope Protection and Stream Restoration.
 - 2. Unit of measure: Each.
- 1.05 PAVING:
- A. Item No. 17 – HMA Roadway Restoration.
 - 1. Includes the following in accordance with Section 02510: Asphalt Paving and Section 02230: Base Courses:
 - a. Saw-cutting at limits of removal.
 - b. All material excavation and removal.
 - c. 8-inch MDOT 21AA or 22A aggregate base.
 - d. 12-inch MDOT CL II sand subbase.

- e. 2-inch MDOT HMA, 13A base course.
 - f. 2-inch MDOT HMA, 13A leveling course.
 - g. Bond coat.
 - h. Sweeping.
 - 2. Unit of measure: Square yard.
 - B. Item No. 18 – HMA Driveway Restoration.
 - 1. Includes the following in accordance with Section 02510: Asphalt Paving and Section 02230: Base Courses:
 - a. Saw-cutting at limits of removal.
 - b. All material excavation and removal.
 - c. 6-inch MDOT 22A aggregate base.
 - d. 1.5-inch MDOT HMA, 13A base course.
 - e. 1.5-inch MDOT HMA, 13A leveling course.
 - f. Bond coat.
 - g. Sweeping.
 - 2. Unit of measure: Square yard.
 - C. Item No. 19 – Gravel Driveway Restoration.
 - 1. Includes the following in accordance with Section 02210: Site Grading and Section 02230: Base Courses:
 - a. All material excavation and removal.
 - b. Preparation of subgrade.
 - c. 8-inch MDOT 23A aggregate surface course.
 - d. Compaction
 - e. Maintaining gravel driveway in a smooth and firm condition until acceptance.
 - 2. Unit of measure: Square yard.
 - D. Item No.20 – Concrete Driveway Restoration.
 - 1. Includes the following:
 - a. Saw-cutting at limits of removal.
 - b. All material excavation and removal.
 - c. Curb and Gutter installation
 - 2. Unit of measure: Square yard.
- 1.06 SURFACE RESTORATION:
 - A. Item No. 21 – Mulch Blanket.
 - 1. Includes: Supply and installation of mulch blanket in accordance with Section 02272: Soil Erosion and Sedimentation Control, as noted on the Drawings or as indicated for placement by the ENGINEER.
 - 2. Unit of measure: Square yard. Overlap of blanket will not be considered in measurement.
 - B. Item No. 22 – Surface Restoration (Topsoil, Open Channel Seeding and Mulch).
 - 1. Includes restoration at the top of bank for access and the following in accordance with Section 02941: Open Channel Seeding, or as indicated for placement by ENGINEER.
 - a. Furnishing, placing and grading 3 inches of topsoil. Existing topsoil can be used if approved by ENGINEER and consistent with new topsoil as indicated in Section 02941 Open Channel Seeding.
 - b. Furnishing and placing specific seed, fertilizer and all loose mulch. Alternates to seed mix specified will be reviewed and approved by ENGINEER prior.
 - c. Maintenance until final completion, including repair of washouts and re-prepping or re-seeding bare areas.
 - d. Watering as necessary to sustain the viability of the seed and as necessary for full growth and coverage.
 - 2. Unit of measure: Square yard.
 - C. Item No. 23 – Lawn Restoration (Topsoil, Seed and Mulch).
 - 1. Includes restoration in lawn areas and the following in accordance with Section 02930: Lawns & Grass, or as indicated for placement by ENGINEER.
 - a. Furnishing, placing and grading 3 inches of topsoil. Existing topsoil can be used if approved by ENGINEER and consistent with new topsoil as indicated in Section 02941: Open Channel Seeding.

- b. Furnishing and placing specific seed, fertilizer and all loose mulch. Alternates to seed mix specified will be reviewed and approved by ENGINEER prior.
 - c. Maintenance until final completion, including repair of washouts and re-prepping or re-seeding bare areas.
 - d. Watering as necessary to sustain the viability of the seed and as necessary for full growth and coverage.
2. Unit of measure: Square yard.

1.07 MISCELLANEOUS AND CONTINGENCY ITEMS:

- A. Item No. 24 – Mobilization, Max (10%).
 - 1. Includes: All preparatory work and operations in accordance with Section 150 of the MDOT 2012 Specifications for Construction.
 - 2. Unit of measure: Lump sum.
- B. Item No. 25 – Soil Erosion and Sedimentation Control Measures.
 - 1. Includes: Soil erosion control maintenance and items in accordance with Section 02272: Soil Erosion and Sedimentation Control and per the appropriate detail(s) and notes shown on the Drawings. Includes all inlet protection measures in new or existing catch basins or structures and maintenance of those inlet protection items. Includes all necessary dust control and SESC maintenance and care on all erosion control items listed until all final measures are installed. Also includes removal of all temporary SESC measures and all SESC compliance.
 - 2. Unit of measure: Lump sum paid as a percentage as work progresses.
- C. Item No. 26 – Traffic Control.
 - 1. Includes: Furnishing, installation, relocation and removal of all traffic barrels, signage and other traffic devices necessary for proper functioning of traffic as determined by ENGINEER and in accordance with maintaining traffic plans, Section 812 of the MDOT 2012 Standard Specifications for Construction, Muskegon County Road Commission and MDOT standards. Includes all signage, barrels, barricades and flag control necessary for proper functioning of traffic and completion of work in accordance with the Contract Documents and enclosed Detour and Maintaining Traffic Plan. Also includes installation of 1 Porta-John to be maintained and placed on-site throughout construction. Also includes 50 barrels and 6 Type II Barricades, furnished and operated. Item includes all CONTRACTOR bonds and insurance necessary for securing of Road Commission permit.
 - 2. Unit of measure: Lump sum, paid as a percentage based on performance of the work.
- D. Items No. 27 – Clearing.
 - 1. Includes: Removal and disposal of trees, brush, deadfall, including all stumps and roots and miscellaneous debris. Any specific notes on the Drawings for tree cutting or placement are also included in the cost for this Work. Also includes providing timber to property owners of trees cut on property if property owner wants the material. If material is not wanted then all material is to be disposed of or removed from site. Stacking in easement limits or rights of way is not allowed.
 - 2. Unit of measure: Lump sum.

1.08 ALTERNATE ITEMS:

- A. Item No. 28 – Curb and Gutter Removal.
 - 1. Includes: Removal of curb and gutter in accordance with Section 204 of the MDOT 2012 Standards Specifications for Construction.
 - 2. Unit of measure: Linear foot.
- B. Item No. 29 – Concrete Curb and Gutter.
 - 1. Includes: Placement of concrete curb and gutter in accordance with MDOT Standard Plan R-30-G and Section 802 of the MDOT 2012 Standard Specifications for Construction.
 - 2. Unit of measure: Linear foot.
- C. Item No. 30 – 6-inch PVC Storm Sewer Service.
 - 1. Includes: All excavation, spoil removal and disposal, SDR26 PVC pipe, dewatering, clearing, incidental tree removal, temporary relocation and re-installation of any existing landscaping or ornamental items, exposing any existing utilities, any required bends or fittings, backfilling, sump lead core and boot, Insert a tee or HDPE tee in accordance with Section 02720: Storm Sewer System and per the appropriate detail shown on the Drawings. Also includes all connections and fittings for existing leads or storm sewer shown on the Drawings.

2. Unit of measure: Linear foot of storm sewer lead as measured from centerline of manhole or main storm sewer to end of pipe.
- D. Item No. 31 – Traffic Control, Additional.
1. Includes: Furnishing, installation, relocation and removal of all traffic barrels, signage and other traffic devices necessary for proper functioning of traffic as determined by ENGINEER and in accordance with maintaining traffic plans, Section 812 of the MDOT 2012 Standard Specifications for Construction, Muskegon County Road Commission and MDOT standards. Includes all additional signage, barrels, barricades and flag control necessary for proper functioning of traffic and completion of work in accordance with the Contract Documents and should **anticipate a 1-lane closure on Maple Island Road. Item includes an additional 50 barrel, flagmen, furnished and operated. Adequate flagmen shall be provided to adequately move one lane of traffic through the work zone by alternating directional traffic on Maple Island Road. The lane closure on Maple Island Road is limited to 1-week of uninterrupted work.**
 2. Unit of measure: Lump sum, paid as a percentage based on performance of the work.

PART 2 - PRODUCTS

Not used.

PART 3 - EXECUTION

Not used.

END OF SECTION